

# SATE·LITE

Safety at the Speed of Light

*Cyclist's Safety, We Care*

2018/2019  
Bicycle Reflectors Product Catalog

## Deflecto, LLC

7035 East 86th Street Indianapolis, IN 46250  
(Tel) : 1-800-428 4328


## Sate-Lite(Foshan) Plastics Co.,Ltd.

No. 2-2 FuAn Industrial Park, Leliu Town, Shunde District,  
Foshan City, GuangDong, China  
(Tel) : 86-757-2563 1393 (Fax) : 86-757-2533 9975  
<http://www.sate-lite.com.cn> E-mail: [sales@sate-lite.com.cn](mailto:sales@sate-lite.com.cn)  
( Zip) : 528300

## Sate-Lite Technologies Private Limited

Village Gholu Majra, Tehsil Derabassi,  
District Mohali, Punjab, India  
email: [sales@sate-lite.com.cn](mailto:sales@sate-lite.com.cn)





# Welcome to Sate-Lite

As a member of U.S.-based multi-industry parent Jordan Industries, Inc., Sate-Lite Plastics Co., Ltd. is a leading manufacturer and supplier of reflectors, lenses and warning devices for bicycles, passenger cars, trucks, boats and other applications. Sate-Lite's products meet industry safety standards established by regulatory bodies world-wide. Examples include the Society of Automotive Engineers and the U.S. Department of Transportation.

## Bicycle Reflectors – Leadership on a World Standard

As the world's largest supplier of reflex reflectors for this industry, Sate-Lite has produce over one-hundred million reflectors annually- all with the highest product performance and aggressively competitive cost/value ratio.

New technology for improved customer productivity is critical to Sate-Lite's success and longevity in this market. Our innovative “snap on” backer mounting system, “fixed head” one-piece reflector bracket, and “one click” rivet mounting system are excellent examples of leadership in the industry and partnership with customers. Sate-Lite's designs enable customers to achieve a leading edge advantage while lowering cost-per-assembly and improving throughput.

Reflectors are available for front/rear applications, spoke/wheel applications, and pedal applications. Standard and custom reflectors are manufactured to stringent U.S. Consumer Products Safety Commission, German DIN, UK BS, Australia AS, Japan VIA, and EU E safety standards.

## Quality and Leadership

Sate-Lite Plastics Co., LTD is a company with an eye to the future. Today, there is an increasing emphasis on reflective safety and optical recognition as the means to improve transportation, consumer, and commercial products. Sate-Lite is in an ideal position to provide innovative and cost-effective solutions to any market.

Sate-Lite is equipped with two state-of-the-art all function photometric light tunnels that ensure each reflector product's optical quality. Sate-Lite's product quality is based on a partnership in total design and performance objectives, attention to detail, just-in-time delivery, and overall emphasis on customer service.




# Content

GB17761,GB/T31887新国标反射器	01-02
E-bike Reflectors/Motorcycle Reflectors	02
Reflectors	03
Reflectors	04
Front/Rear Reflectors	05-09
Spoke Reflectors	10-14
Other Reflectors	15
Reflector Kits	16
Brackets	17-18
Main Reflector Safety Standards List	19-20
Mag wheel	21-22
Reflector Product List	23-26
Index	27-28

# GB17761,GB/T31887 新国标反射器



安装示意图





★专利产品，侵权必究★




SL199A





SL198R



Order No.	Item	Description	Safety Standard	Qty/ctn	Carton Size(mm) (L*W*H)	Vol (CBM)	GW(KG)
SL199A	Motorcycle Ebike Reflector	Motorcycle Reflector, Amber	GB,ISO,3C	800	365*275*245	0.026	8.738
SL198R	Motorcycle Ebike Reflector	Motorcycle Reflector, Rectangle, Red	GB,ISO,3C	800	365*275*245	0.026	8.738




SL1A



SL123NA

Order No.	Item	Description	Safety Standard	Qty/ctn	Carton Size(mm) (L*W*H)	Vol (CBM)	GW(KG)
SL1A	Pedal Reflector	Small, Amber, Pedal	GB,ISO,CPSC,BS,AS,VIA,DIN,TPP,3C	6000	0.405*0.287*0.278	0.032	12.6
SL123NA	Side Reflector	Yellow, Side Reflector	GB,ISO,3C	/	/	/	/




SL188R


SL16R

Item No.	Name	Item	Description	Standard	Qty/ctn	Carton Size(mm) (L*W*H)	Vol (CBM)	NG (KG)	WG (KG)
SL188R	Motorcycle Reflector Rectangle Red /motorref/	360pk Motor Cycle	Sealed To Plastic Backer	SAE,DOT,ECE,3C,GB,ISO	360	0.417*0.315*0.175	0.023	6.565	7.51
SL16R	Motorcycle Reflector Red, motorref/600PK	Motor Cycle	Sealed To Plastic Backer	SAE,DOT,ECE,3C,GB,ISO	600	0.68*0.33*0.215	0.048	6.505	7.51


## E-bike Reflectors/Motorcycle Reflectors



40-0020-11




40-0020-12



Item No.	Name	Item	Description	Standard	Qty/ctn	L (m)	W (m)	H (m)	Vol (CBM)	NG (KG)	WG (KG)
40-0020-11	Motorcycle Reflector/Round,Red / 600PK	ScrewL=10-15mm, φ=M5 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	600	0.680	0.390	0.200	0.053	11.11	13.05
40-0020-12	Motorcycle Reflector/Round,Yellow/600PK	ScrewL=10-15mm, φ=M5 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	600	0.680	0.390	0.200	0.053	11.11	13.05
40-0020-31	Motorcycle Reflector/Round,Red / 240PK	ScrewL=10-15mm, φ=M6 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	240	0.375	0.255	0.275	0.026	4.98	5.836
40-0020-32	Motorcycle Reflector/Round,Yellow/240PK	ScrewL=10-15mm, φ=M6 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	240	0.375	0.255	0.275	0.026	4.906	5.764
40-0020-32/L	Motorcycle Reflector/Round,Yellow/144PK	ScrewL=10-15mm, φ=M6 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	144	0.375	0.255	0.275	0.026	3.482	4.21
40-0020-52	Motorcycle Reflector/Round,Yellow/264PK	ScrewL=10-15mm, φ=M6 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	264	0.375	0.255	0.275	0.026	6.152	7.038
40-0020-72	Motorcycle Reflector/Round,Yellow/264PK	ScrewL=10-15mm, φ=M6 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	264	0.375	0.255	0.275	0.026	5.148	6.016
40-0020-82/NP	Motorcycle Reflector/Round,Yellow/240PK	ScrewL=10-15mm, φ=M5 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	240	0.375	0.265	0.280	0.026	5.14	6.01



40-0020-02ARC



Item No.	Name	Item	Description	Standard	Qty/ctn	L (m)	W (m)	H (m)	Vol (CBM)	NG (KG)	WG (KG)
40-0020-02ARC	Motorcycle Reflector/Round,Yellow/	ScrewL=10-15mm, φ=M5 Roundφ55mm, Thickness9mm	Sealed to plastic backer	GB,SAE,DOT,ECE,3C,ISO	600	385	400	205	0.056		







126NR



128R



128C





Order No.	Item	Description	Safety Standard	Qty/ctn	Carton Size(mm) (L*W*H)	Vol (CBM)	GW(KG)
126NR	Rear Reflector	126,Rear,Red,Mudguard	GB,ISO,AS,BS	800	365x275x245	0.026	8.738
128R	Rear Reflector	128,Rear,Mudguard	GB,ISO	500	350x285x385	0.04	8.7
128C	Front Reflector	128,Front,Mudguard	GB,ISO	500	360x295x285	0.033	8.7



129R



129C




Order No.	Item	Description	Safety Standard	Qty/ctn	Carton Size(mm) (L*W*H)	Vol (CBM)	GW(KG)
129R	Rear Reflector	Rear,Red,Screws	GB,ISO	1000	345x280x200	0.021	10.82
129C	Front Reflector	Clear,Front,Screws	GB,ISO	1000	345x280x200	0.021	10.82



722MSC





722PMSC



722MSA



722PMSA



Order No.	Item	Description	Safety Standard	Qty/ctn	Carton Size(mm) (L*W*H)	Vol (CBM)	GW(KG)
722MSC	Spoke Reflector	Clear,Wheel	GB,ISO,CPSC,BS,AS	400	467x300x270	0.04	11.598
722MSA	Spoke Reflector	Amber,Wheel	GB,ISO,CPSC,BS,AS	400	467x300x270	0.04	11.665
722PMSC	Spoke Reflector	Clear,Wheel	GB,ISO,CPSC,BS,AS	400	467x300x270	0.04	/
722PMSA	Spoke Reflector	Amber,Wheel	GB,ISO,CPSC,BS,AS	400	467x300x270	0.04	/






701PMSA



SL199A



SL198R





Order No.	Item	Description	Safety Standard	Qty/ctn	Carton Size(mm) (L*W*H)	Vol (CBM)	GW(KG)
701PMSA	Spoke Reflector	Amber,Wheel	K	800	365x275x245	0.026	8.738
SL199A	Motorcycle Ebike Reflector	Motorcycle Reflector,Amber	GB,ISO	800	365x275x245	0.026	8.738
SL198R	Motorcycle Ebike Reflector	Motorcycle Reflector,Rectangle,Red	GB,ISO	800	365x275x245	0.026	8.738



122C





122R



121C




121R




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
121C	Front Reflector	Clear,Front,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445x0.280x0.200	0.025	7.2
121R	Rear Reflector	Rear,Red,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445x0.280x0.200	0.025	7.3
121HC	Front Reflector	Clear,Front,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445x0.280x0.200	0.025	8.7
121HR	Rear Reflector	Rear,Red,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445x0.280x0.200	0.025	8.7



Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
122C	Front Reflector	Clear,Front,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445x0.280x0.200	0.025	6.7
122R	Rear Reflector	Rear,Red,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445x0.280x0.200	0.025	6.7



122PC



122PR



123NR



**Description**  
**123N(S)(G)1R**

Lens #

N/A: Flat Backer  
S: Round Backer


N/A: Black Backer  
G: Gray Backer  
U: Chrome Plated Backer

1:W/ stud  
2:W/o stud


R: Red Lens  
C: Clear Lens  
A: Amber Lens

Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
123NS1R	Rear Reflector	Rear, Red, Seat Stay, w/stud	GB, ISO, CPSC, BS, VIA	380	0.416x0.351x0.222	0.032	4.6
123NS2R	Rear Reflector	Rear, Red, Seat Stay, w/o stud	GB, ISO, CPSC, BS, VIA	380	0.416x0.351x0.222	0.032	4.7
123GNS1R	Rear Reflector	Rear, Red, Gray, Seat Stay, w/stud	GB, ISO, CPSC, BS, VIA	380	0.416x0.351x0.222	0.032	4.6
123GNS2R	Rear Reflector	Rear, Red, Gray, Seat Stay, w/o stud	GB, ISO, CPSC, BS, VIA	380	0.416x0.351x0.222	0.032	4.6
123NSU1R	Rear Reflector	Rear, Red, Chrome, Seat Stay, w/stud	GB, ISO, CPSC, BS, VIA	380	0.416x0.351x0.222	0.032	5.0
123NSU2R	Rear Reflector	Rear, Red, Chrome, Seat Stay, w/o stud	GB, ISO, CPSC, BS, VIA	380	0.416x0.351x0.222	0.032	4.7

Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
122PC	Front Reflector	Small,Clear,Front,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.345x0.280x0.200	0.019	5.1
122PR	Rear Reflector	Small,Rear,Red,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.345x0.280x0.200	0.019	5.1




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>123R</b>	Rear Reflector	123, Rear, Red, Seat Stay	GB, ISO, CPSC, BS, VIA	500	0.445x0.280x0.200	0.025	4.9
<b>123C</b>	Rear Reflector	123, Front, Clear, Handle Bar, Round	GB, ISO, CPSC, BS, VIA	500	0.445x0.280x0.200	0.025	4.7
<b>123SR</b>	Rear Reflector	Rear, Red, Seat Stay	VIA, CPSC, BS	500	0.550x0.300x0.300	0.050	10.0




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>124R</b>	Rear Reflector	Rear, Red, Mudguard	GB, ISO, CPSC, BS, VIA	500	0.445x0.280x0.200	0.025	12.9
<b>124GR</b>	Rear Reflector	Rear, Red, Gray, Mudguard	GB, ISO, CPSC, BS, VIA	500	0.515x0.380x0.470	0.092	12.9
<b>124UR</b>	Rear Reflector	Rear, Red, Chrome, Mudguard	GB, ISO, CPSC, BS, VIA	500	0.515x0.380x0.470	0.092	13.4




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>124NR</b>	Rear Reflector	124N, Rear, Red, Mudguard	GB, ISO, CPSC, BS, VIA	650	0.515x0.380x0.470	0.092	15.8
<b>124GNR</b>	Rear Reflector	124N, Rear, Red, Gray, Mudguard	GB, ISO, CPSC, BS, VIA	500	0.515x0.380x0.470	0.092	8.3




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>125R</b>	Rear Reflector	125, Rear, Red, Mudguard	GB, ISO, CPSC, BS, VIA				
<b>126R</b>	Rear Reflector	126, Rear, Red, Mudguard	GB, ISO, CPSC, BS, VIA	1000	0.365x0.275x0.245	0.025	




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>FR105</b>	Front Reflector	Clear,Front ,Screws	BS,DIN,ECE,B	500	0.555x0.380x0.285	0.060	10.6
<b>RR105</b>	Rear Reflector	Rear,Red,Screws	BS,DIN,ECE,B	500	0.555x0.380x0.285	0.060	10.6



Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>722C</b>	Spoke Reflector	Clear,Wheel,Push on	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	500	0.405x0.287x0.278	0.032	9.1
<b>722R</b>	Spoke Reflector	Red,Wheel,Push on	GB,ISO,CPSC,BS,AS,VIA,ECE,TPI	500	0.405x0.287x0.278	0.032	9.6
<b>722A</b>	Spoke Reflector	Amber,Wheel,Push on	GB,ISO,CPSC,BS,AS,VIA,ECE,TPI	500	0.405x0.287x0.278	0.032	9.1



Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>RR102</b>	Carrier Reflector	Red, Carrier, Screws	BS, DIN, ECE, B	250	0.467x0.300x0.370	0.052	11.1



Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>722PC</b>	Spoke Reflector	Clear,Wheel,Push on	CPSC,BS,JIS,ECE,CAN,GB,ISO	500	0.445x0.280x0.200	0.025	7.3
<b>722PA</b>	Spoke Reflector	Amber,Wheel,Push on	CPSC,TPL,AS,ECE,CAN,GB,ISO	500	0.445x0.280x0.200	0.025	7.3
<b>722PR</b>	Spoke Reflector	Red,Wheel,Push on	CPSC,CAN,GB,ISO	500	0.445x0.280x0.200	0.025	7.3




**710PC**



**12GA 13GA 14GA 15GA**





**710PA**




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>710PC</b>	Spoke Reflector	Clear, Wheel, Curve, Push on	GB, ISO, CPSC, BS, AS	500	0.445x0.280x0.200	0.025	7.3
<b>710PA</b>	Spoke Reflector	Amber, Wheel, Curve, Push on	GB, ISO, CPSC, BS, AS	500	0.445x0.280x0.200	0.025	7.4



**701PC**



**701PC-1**



Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>701PC</b>	Spoke Reflector	Clear, Wheel, Quick fit	GB, ISO, VIA	1000	0.315x0.390x0.390	0.048	12.2
<b>701PC-1</b>	Spoke Reflector	W/Metal clip	JIS,VIA,GB,ISO	1000	0.41x0.29x0.28	0.032	12.1





**710PSSC**



**722SSA**



**710PSC**



**722SSC**







**723SSA**



**722SC**



**723SA**





Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>722SSC</b>	Spoke Reflector	Clear, Wheel, Screws, Extension, Adjustable	GB, ISO, CPSC, BS, AS, VIA, ECE, TPL	160	0.405x0.287x0.278	0.032	6.3
<b>722SSA</b>	Spoke Reflector	Amber, Wheel, Screws, Extension, Adjustable	GB, ISO, CPSC, BS, AS, VIA, ECE, TPL	160	0.405x0.287x0.278	0.032	6.3
<b>723SSA</b>	Spoke Reflector	723, Amber, Wheel, Screws, Extension, Adjustable	ISO, DIN	200	0.405x0.287x0.278	0.032	8.3
<b>722SA</b>	Spoke Reflector	Amber, Wheel, Screws, Extension	GB, ISO, CPSC, BS, AS, VIA, ECE, TPL	400	0.405x0.287x0.278	0.032	9.9
<b>722SC</b>	Spoke Reflector	Clear, Wheel, Screws, Extension	GB, ISO, CPSC, BS, AS, VIA, ECE, TPL	400	0.405x0.287x0.278	0.032	9.9
<b>710PSSA</b>	Spoke Reflector	Amber, Wheel, Curve, Screws, Extension, Adjustable	GB, ISO, CPSC, BS, AS	360	0.405x0.287x0.278	0.032	6.3
<b>710PSSC</b>	Spoke Reflector	Clear, Wheel, Curve, Screws, Extension, Adjustable	GB, ISO, CPSC, BS, AS	360	0.405x0.287x0.278	0.032	6.3
<b>710PSC</b>	Spoke Reflector	Clear, Wheel, Curve, Screws, Extension	GB, ISO, CPSC, BS, AS	400	0.405x0.287x0.278	0.032	11.1







**723A**



**SR710A**




**701PA**




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>723A</b>	Spoke Reflector	723, Amber, Wheel, Push on	ISO, DIN	500	0.405x0.287x0.278	0.032	10.4
<b>SR710A</b>	Spoke Reflector	Amber, Wheel, Quick fit	GB, CPSC, BS	1000	0.405x0.287x0.278	0.032	13.3
<b>701PA</b>	Spoke Reflector	Amber, Wheel, Quick fit	GB, ISO	1000	0.315x0.235x0.390	0.029	12.2




**724C**





**727C**




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>724C</b>	Spoke Reflector	724, Clear, Wheel, Push on	GB, ISO, CPSC, BS, AS	500	0.405x0.287x0.278	0.032	10.91
<b>727C</b>	Spoke Reflector	727, Clear Wider Spoke Reflector	GB, ISO, CPSC, BS, AS	160	0.345x0.280x0.200	0.019	5.8



**725C**




**SR600A**




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>725C</b>	Spoke Reflector	Clear Wider Spoke Reflector	GB,ISO,CPSC,BS,AS	200	0.298x0.276x0.260	0.021	5.9
<b>725A</b>	Spoke Reflector	Amber Wider Spoke Reflector	GB,ISO,CPSC,BS,AS	200	0.298x0.276x0.260	0.021	5.9
<b>SR600A</b>	Spoke Reflector	Amber Wider Slide on	TPL,B,POT,ECE	400	0.467x0.300x0.270	0.038	10.1




**726C**




**726A**





Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>726C</b>	Spoke Reflector	Clear, Kid bike Spoke Reflector, Push on	GB,ISO,CPSC,BS,AS	500	0.405x0.287x0.278	0.032	8.2
<b>726A</b>	Spoke Reflector	Amber, Kid bike Spoke Reflector, Push on	GB,ISO,CPSC,BS,AS	500	0.405x0.287x0.278	0.032	8.2





Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>121W</b>	Spoke Reflector	Mag Wheel Reflector, Screws	GB, ISO, CPSC, BS, AS	750	0.550x0.370x0.280	0.057	15.7




**SL1A**



**SL1PA**



**SL3A**



Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>SL1A</b>	Pedal Reflector	Small, Amber, Pedal	GB, ISO, CPSC, BS, AS, VIA, DIN, TPP	6000	0.405x0.287x0.278	0.032	12.6
<b>SL1PA</b>	Pedal Reflector	Mini, Amber, Pedal	GB, ISO, CPSC, BS, AS, VIA, DIN, TPP	9000	0.405x0.287x0.278	0.034	14.7
<b>SL3A</b>	Pedal Reflector	Regular, Amber, Pedal	GB, ISO, CPSC, BS, AS, VIA, DIN, TPP, CH, B	3000	0.405x0.287x0.278	0.032	10.6



Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>80-0000-00</b>	Bike Reflector kit	121C&121R&722C	GB, ISO, CPSC, BS, AS	100	0.568x0.313x0.165	0.029	7.3
<b>80-0346-06</b>	Bike Reflector kit	122C&122R&HB317&SP272&Spacer	GB, ISO, CPSC, BS, AS	250	0.550x0.370x0.280	0.057	\
<b>80-0831-00</b>	Bike Reflector kit	122C&122R&HB254&SP272	GB, ISO, CPSC, BS, AS	250	0.550x0.370x0.280	0.057	\
<b>80-0844-02</b>	Bike Reflector kit	122R&SP272	GB, ISO, CPSC, BS, AS	500	0.550x0.300x0.270	0.045	12.0



**RK1**



**RK2**

Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>RK1</b>	Retal Packing	Retail Packing 121C/R&722C	CPSC,BS	60	0.550x0.370x0.280	0.057	7.5
<b>RK2</b>	Retal Packing	Retail Packing 121C/R&722A	AS, TPL	60	0.550x0.370x0.280	0.057	7.5



**ST211**      **HB222N**      **HB222**      **HB254**      **HB317**




**SD78**



**3610**




**B1112**




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>ST211</b>	Front/rear bracket	Ø21.1mm, Stem	GB, CPSC, BS	1500	0.550x0.300x0.270	0.045	16.0
<b>HB222</b>	Front bracket	Ø22.2mm, Handle Bar	GB, CPSC, BS	1500	0.467x0.300x0.270	0.038	14.6
<b>HB222N</b>	Front bracket	Ø22.2mm, Handle Bar	CPSC, BS	1500	0.467x0.300x0.270	0.038	14.6
<b>HB254</b>	Front bracket	Ø25.4mm, Handle Bar	GB, CPSC, BS	1000	0.405x0.287x0.278	0.032	10.7
<b>HB317</b>	Front bracket	Ø31.7mm, Handle Bar	GB, CPSC, BS	1200	0.550x0.370x0.280	0.057	14.2
<b>B1112</b>	Front/rear bracket	Front fork crown/ rear seat stay bridge	GB, CPSC, BS	1400	0.550x0.370x0.280	0.057	23.5
<b>3610-40</b>	Accessory	Spacer, 40mm	\	800	\	\	\
<b>3610-60</b>	Accessory	Spacer, 60mm	\	800	\	\	\
<b>SD78</b>	支架	\	\	\	\	\	\



**SP222**      **SP254**      **SP254N**      **SP272**



**SP286**      **SP310**      **SP349**




Order No.	Item	Description	Safety Standard	Qty/ctn	(LxWxH) Carton Size ( m )	Vol ( CBM )	GW ( KG )
<b>SP222</b>	Rear bracket	Ø22.2mm, Seat Post	GB, CPSC, BS	2000	0.550x0.370x0.280	0.057	21.5
<b>SP254</b>	Rear bracket	Ø25.4mm, Seat Post	GB, CPSC, BS	1000	0.405x0.287x0.278	0.032	9.30
<b>SP254N</b>	Rear bracket	Ø25.4mm, Seat Post	CPSC, BS	1000	0.405x0.287x0.278	0.032	11.00
<b>SP272</b>	Rear bracket	Ø27.2mm, Seat Post	GB, CPSC, BS	1000	0.405x0.287x0.278	0.032	10.50
<b>SP272N</b>	Rear bracket	Ø27.2mm, Seat Post	CPSC, BS	1000	0.405x0.287x0.278	0.032	11.25
<b>SP286</b>	Rear bracket	Ø28.6mm, Seat Post	GB, CPSC, BS	1500	0.550x0.370x0.280	0.057	15.50
<b>SP286N</b>	Rear bracket	Ø28.6mm, Seat Post	CPSC, BS	1500	0.550x0.370x0.280	0.057	18.30
<b>SP310</b>	Rear bracket	Ø31.0mm, Seat Post	GB, CPSC, BS	1000	0.467x0.300x0.270	0.038	11.90
<b>SP310N</b>	Rear bracket	Ø31.0mm, Seat Post	CPSC, BS	1000	0.467x0.300x0.270	0.038	11.60
<b>SP349</b>	Rear bracket	Ø34.9mm, Seat Post	CPSC, BS	1000	0.467x0.300x0.270	0.038	11.60

Sate-Lite Mfg. (The reflector bracket patent is belonged to Sate-Lite Mfg.. All right reserved)  
(US. Patent No.) : US 6,273,572 B1 (Europe Patent No.) : EP 1 081 031 A2


**CPSC/BS**



**DIN**




**TPL/TPP/AS**




**VIA**



**CHN GB**



**IND 1 ISO**



**IND 2 ISO**




Safety Standards Code: AS—Australia B—Belgium BS—England GB—China CAN—Canada CH—Switzerland CPSC—U.S.A. ISO—India DIN/Z—Germany CHN—China VIA—Japan ECE—Economic Commission for Europe Automobile POT—Portugal TPL/TPP—France Color Code: C: CLEAR A: AMBER R: RED e.g. :122R is Red 122

<b>USA/UK</b> <b>CPSC 1512</b> Consumer Product Safety Commission <b>BC 6102/2</b> British Standards				
<b>GERMANY</b> <b>DIN (K mark)</b> Deutsches Institut für Normung				
<b>FRANCE</b> <b>TPL/TPP</b> <b>AUSTRALIA</b> <b>AS 2142</b> Australian Standard				
<b>JAPAN</b> <b>VIA</b> Vehicle Inspection Association				
<b>CHN GB</b> CHINA GB31887-2015 National Standards				
<b>IDN 1 ISO</b> INDIA ISO6742-2 Indian Standards for Black Bike/Roadster				
<b>IDN 2 ISO</b> INDIA ISO6742-2 Indian Standards for MTB/Fancy				




**W1-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:110/170  
**Weight(Net /Steel Hub):**  
F: 879g/344g R: 879g / 375g




**W3-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:114/175  
**Weight(Net /Steel Hub):**  
F: 902g/344g R: 902g / 375g




**W6-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:110/170  
**Weight(Net /Steel Hub):**  
F: 851g/344g R: 851g / 420g




**W7-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:110/170  
**Weight(Net /Steel Hub):**  
F: 928g/344g R: 928g / 375g




**W4-18**

**Size:** 18"  
**Tire Size:** 1-3/8, 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R: 110/170  
**Weinhe(Net/Steel Hub):**  
F: 947g/344g R: 947g/375g




**W4-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:110/170  
**Weight(Net /Steel Hub):**  
F: 947g/344g R: 947g / 375g




**Wst-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:110/170  
**Weight(Net /Steel Hub):**  
F: 1042g/344g R: 1042g / 375g




**Wx-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:110/170  
**Weight(Net /Steel Hub):**  
F: 878g/344g R: 878g / 375g



**Wxh-20**

**Size:** 20"  
**Tire Size:** 1-3/8" , 1.5"  
**Color:** Black  
**Spacing/Axle:**  
F: 100/160, R:110/170  
**Weight(Net /Steel Hub):**  
F: 843g/344g R: 843g / 375g



Spoke reflectors are required to meet some countries' safety standard.

Mag Wheels

Mag Wheels

产品图	Order No.	Item	Description	认证Standards	装箱数(片/箱) Qty/Ctn	L (m)	W (m)	H (m)	Vol (cbm)	GW (kg)
	121C	Front Reflector	Clear,Front,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445	0.280	0.200	0.025	7.2
	121HC	Front Reflector	Clear,Front,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445	0.280	0.200	0.025	8.7
	122C	Front Reflector	Clear,Front,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445	0.280	0.200	0.025	6.7
	122PC	Front Reflector	Small,Clear,Front,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.345	0.280	0.200	0.019	5.1
	123C	Front Reflector	123,Front,Clear,Handle Bar,Round	GB,ISO,CPSC,BS,VIA	500	0.445	0.280	0.200	0.025	4.7
	121HR	Rear Reflector	Rear,Red,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445	0.280	0.200	0.025	8.7
	121R	Rear Reflector	Rear,Red,Screws	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445	0.280	0.200	0.025	7.3
	122PR	Rear Reflector	Small,Rear,Red,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.345	0.280	0.200	0.019	5.1
	122R	Rear Reflector	Rear,Red,Snap on	GB,ISO,CPSC,BS,AS,VIA,ECE,DIN	500	0.445	0.280	0.200	0.025	6.7
	123GNS1R	Rear Reflector	Rear,Red,Gray,Seat Stay,w/ stud,	GB,ISO,CPSC,BS,VIA	380	0.416	0.351	0.222	0.032	4.6
	123GNS2R	Rear Reflector	Rear,Red,Gray,Seat Stay,w/o stud,	GB,ISO,CPSC,BS,VIA	380	0.416	0.351	0.222	0.032	4.6
	123NS1R	Rear Reflector	Rear,Red,Seat Stay,w/ stud,	GB,ISO,CPSC,BS,VIA	380	0.416	0.351	0.222	0.032	4.6
	123NS2R	Rear Reflector	Rear,Red,Seat Stay,w/o stud,	GB,ISO,CPSC,BS,VIA	380	0.416	0.351	0.222	0.032	4.7
	123NSU1R	Rear Reflector	Rear,Red,Chrome,Seat Stay,w/ stud,	GB,ISO,CPSC,BS,VIA	380	0.416	0.351	0.222	0.032	5.0
	123NSU2R	Rear Reflector	Rear,Red,Chrome,Seat Stay,w/o stud,	GB,ISO,CPSC,BS,VIA	380	0.416	0.351	0.222	0.032	4.7
	123R	Rear Reflector	123,Rear,Red,Seat Stay	GB,ISO,CPSC,BS,VIA	500	0.445	0.280	0.200	0.025	4.9
	124GNR	Rear Reflector	124N,Rear,Red,Gray,Mudguard	GB,ISO,CPSC,BS,VIA	500	0.515	0.380	0.470	0.092	8.3
	124GR	Rear Reflector	Rear,Red,Gray,Mudguard	GB,ISO,CPSC,BS,VIA	500	0.515	0.380	0.470	0.092	12.9
	124NR	Rear Reflector	124N,Rear,Red,Mudguard	GB,ISO,CPSC,BS,VIA	650	0.515	0.380	0.470	0.092	15.8
	124R	Rear Reflector	Rear,Red,Mudguard	GB,ISO,CPSC,BS,VIA	500	0.445	0.280	0.200	0.025	12.9
	124UR	Rear Reflector	Rear,Red,Chrome,Mudguard	GB,ISO,CPSC,BS,VIA	500	0.445	0.280	0.200	0.025	13.4
	125R	Rear Reflector	125,Rear,Red,Mudguard	GB,ISO,CPSC,BS,VIA	\	\	\	\	0.000	\
	126R	Rear Reflector	126,Rear,Red,Mudguard	GB,ISO,CPSC,BS,VIA	1000	0.365	0.275	0.245	0.025	\
	121W	Wheel Reflector	Mag Wheel Reflector,Screws	GB,ISO,CPSC,BS,AS	750	0.550	0.370	0.280	0.057	15.7
	701PA	Wheel Reflector	Amber,Wheel,Quick fit	GB,ISO	1000	0.315	0.235	0.390	0.029	12.2
	701PC	Wheel Reflector	Clear,Wheel,Quick fit	GB,ISO,VIA	1000	0.315	0.390	0.390	0.048	12.2
	710PA	Wheel Reflector	Amber,Wheel,Curve,Push on	\	500	0.445	0.280	0.200	0.025	7.4
	710PC	Wheel Reflector	Clear,Wheel,Curve,Push on	GB,ISO,CPSC,BS,AS	500	0.445	0.280	0.200	0.025	7.3
	710PR	Wheel Reflector	Red,Wheel,Curve,Push on	GB,ISO,CPSC,BS,AS	500	0.445	0.280	0.200	0.025	\
	710PSA	Wheel Reflector	Amber,Wheel,Curve,Screws ,Extension	GB,ISO,CPSC,BS,AS	400	0.405	0.287	0.278	0.032	11.1
	710PSC	Wheel Reflector	Clear,Wheel,Curve,Screws ,Extension	GB,ISO,CPSC,BS,AS	400	0.405	0.287	0.278	0.032	11.1
	710PSSA	Wheel Reflector	Amber,Wheel,Curve,Screws ,Extension, Adjustable	GB,ISO,CPSC,BS,AS	360	0.405	0.287	0.278	0.032	6.3
	710PSSC	Wheel Reflector	Clear,Wheel,Curve,Screws ,Extension,Adjustable	GB,ISO,CPSC,BS,AS	360	0.405	0.287	0.278	0.032	6.3
	722A	Wheel Reflector	Amber,Wheel,Push on	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	500	0.405	0.287	0.278	0.032	9.1
	722C	Wheel Reflector	Clear,Wheel,Push on	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	500	0.405	0.287	0.278	0.032	9.1
	722R	Wheel Reflector	Red,Wheel,Push on	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	500	0.405	0.287	0.278	0.032	9.6
	722S A	Wheel Reflector	Amber,Wheel,Screws ,Extension	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	400	0.405	0.287	0.278	0.032	9.9
	722S C	Wheel Reflector	Clear,Wheel,Screws ,Extension	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	400	0.405	0.287	0.278	0.032	9.9

产品图	Order No.	Item	Description	认证Standards	装箱数(片/箱) Qty/Ctn	L (m)	W (m)	H (m)	Vol (cbm)	GW (kg)
	722SS A	Wheel Reflector	Amber,Wheel,Screws ,Extension, Adjustable	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	160	0.405	0.287	0.278	0.032	6.3
	722SS C	Wheel Reflector	Clear,Wheel,Screws, Extension,Adjustable	GB,ISO,CPSC,BS,AS,VIA,ECE,TPL	160	0.405	0.287	0.278	0.032	6.3
	723A	Wheel Reflector	723,Amber,Wheel,Push on	ISO,DIN	500	0.405	0.287	0.278	0.032	10.4
	723SS A	Wheel Reflector	723,Amber,Wheel,Screws ,Extension, Adjustable	ISO,DIN	200	0.405	0.287	0.278	0.032	8.3
	724C	Wheel Reflector	724,Clear,Wheel,Push on	GB,ISO,CPSC,BS,AS	500	0.405	0.287	0.278	0.032	10.91
	725A	Wheel Reflector	Amber Wider Spoke Reflector	GB,ISO,CPSC,BS,AS	200	0.298	0.276	0.260	0.021	5.9
	725C	Wheel Reflector	Clear Wider Spoke Reflector	GB,ISO,CPSC,BS,AS	200	0.298	0.276	0.260	0.021	5.9
	726A	Wheel Reflector	Amber,Kid bike Spoke Reflector,Push on	GB,ISO,CPSC,BS,AS	500	0.405	0.287	0.278	0.032	8.2
	726C	Wheel Reflector	Clear,Kid bike Spoke Reflector,Push on	GB,ISO,CPSC,BS,AS	500	0.405	0.287	0.278	0.032	8.2
	727C	Wheel Reflector	727,Clear Wider Spoke Reflector	GB,ISO,CPSC,BS,AS	160	0.345	0.280	0.200	0.019	5.8
	SR710A	Wheel Reflector	Amber,Wheel,Quick fit	GB,CPSC,BS	1000	0.405	0.287	0.278	0.032	13.3
	RR102	Carrier Reflector	Red,Carrier,Screws	\	250	0.467	0.300	0.370	0.052	11.1
	SL1A	Pedal Reflector	Small,Amber,Pedal	GB,ISO,CPSC,BS,AS,VIA,DIN,TPP	6000	0.405	0.287	0.278	0.032	12.6
	SL1PA	Pedal Reflector	Mini, Amber,Pedal	GB,ISO,CPSC,BS,AS,VIA,DIN,TPP	9000	0.405	0.287	0.278	0.034	14.7
	SL3A	Pedal Reflector	Regular,Amber,Pedal	GB,ISO,CPSC,BS,AS,VIA,DIN,TPP,CH,B	3000	0.405	0.287	0.278	0.032	10.6
	80-0000-00	Bike Reflector kit	121C&121R&722C	GB,ISO,CPSC,BS,AS	100	0.568	0.313	0.165	0.029	7.3
	80-0346-06	Bike Reflector kit	122C&122R&HB317&SP272&Spacer	GB,ISO,CPSC,BS,AS	250	0.550	0.370	0.280	0.057	\
	80-0831-00	Bike Reflector kit	122C&122R&HB254&SP272	GB,ISO,CPSC,BS,AS	250	0.550	0.370	0.280	0.057	\
	80-0844-02	Bike Reflector kit	122R&SP272	GB,ISO,CPSC,BS,AS	500	0.550	0.300	0.270	0.045	12.0
	HB222	Front bracket	Ø22.2mm, Handle Bar	GB,CPSC,BS	1500	0.467	0.300	0.270	0.038	14.6
	HB254	Front bracket	Ø25.4mm, Handle Bar	GB,CPSC,BS	1000	0.405	0.287	0.278	0.032	10.7
	HB317	Front bracket	Ø31.7mm, Handle Bar	GB,CPSC,BS	1200	0.550	0.370	0.280	0.057	14.2
	ST211	Front/rear bracket	Ø21.1mm, Stem	GB,CPSC,BS	1500	0.550	0.300	0.270	0.045	16.0
	SP222	Rear bracket	Ø22.2mm, Seat Post	GB,CPSC,BS	2000	0.550	0.370	0.280	0.057	21.5
	SP254	Rear bracket	Ø25.4mm, Seat Post	GB,CPSC,BS	1000	0.405	0.287	0.278	0.032	9.3
	SP272	Rear bracket	Ø27.2mm, Seat Post	GB,CPSC,BS	1000	0.405	0.287	0.278	0.032	10.5
	SP286	Rear bracket	Ø28.6mm, Seat Post	GB,CPSC,BS	1500	0.550	0.370	0.280	0.057	15.5
	SP310	Rear bracket	Ø31.0mm, Seat Post	GB,CPSC,BS	1000	0.467	0.300	0.270	0.038	11.9
	SZ-14-1	Rear bracket	Ø12.7~13.6mm, Seat Stay	GB,VIA	4560	0.550	0.300	0.270	0.045	10.6
	SZ-14-2	Rear bracket	Ø12.7~13.6mm, Gray,Seat Stay	GB,VIA	4560	0.550	0.300	0.270	0.045	10.3
	SZ-16-1	Rear bracket	Ø15.5~16.6mm, Seat Stay	GB,VIA	4560	0.550	0.300	0.270	0.045	10.3
	SZ-16-2	Rear bracket	Ø15.5~16.6mm, Gray,Seat Stay	GB,VIA	4560	0.550	0.300	0.270	0.045	10.3
	SZ-19-1	Rear bracket	Ø19~20.8mm, Seat Stay	GB,VIA	4560	0.550	0.300	0.270	0.045	10.3
	SZ-19-2	Rear bracket	Ø19~20.8mm, Gray,Seat Stay	GB,VIA	4560	0.550	0.300	0.270	0.045	10.3
	3610-40	Accessory	Spacer, 40mm	\	800	\	\	\	0.000	\
	3610-60	Accessory	Spacer, 60mm	\	800	\	\	\	0.000	\
	B1112	Front/rear bracket	Front fork crown/rear seat stay bridge	GB,CPSC,BS	1400	0.550	0.370	0.280	0.057	23.5

Order No.	Item	类别	认证 Standards	装箱数 (片/箱) Qty/Ctn	L (m)	W (m)	H (m)	Vol (cbm)	GW (kg)
121C	Front Reflector	前反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.445	0.280	0.200	0.025	7.2
121HC	Front Reflector	前反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.445	0.280	0.200	0.025	8.7
121HR	Rear Reflector	后反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.445	0.280	0.200	0.025	8.7
121R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.445	0.280	0.200	0.025	7.3
121W	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	750	0.550	0.370	0.280	0.057	15.7
122C	Front Reflector	前反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.445	0.280	0.200	0.025	6.7
122PC	Front Reflector	前反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.345	0.280	0.200	0.019	5.1
122PR	Rear Reflector	后反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.345	0.280	0.200	0.019	5.1
122R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, D-JN	500	0.445	0.280	0.200	0.025	6.7
123C	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	500	0.445	0.280	0.200	0.025	4.7
123GNS1R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	380	0.416	0.351	0.222	0.032	4.6
123GNS2R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	380	0.416	0.351	0.222	0.032	4.6
123NS1R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	380	0.416	0.351	0.222	0.032	4.6
123NS2R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	380	0.416	0.351	0.222	0.032	4.7
123NSUIR	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	380	0.416	0.351	0.222	0.032	5.0
123NSU2R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	380	0.416	0.351	0.222	0.032	4.7
123R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	500	0.445	0.280	0.200	0.025	4.9
124GNR	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	500	0.515	0.380	0.470	0.092	8.3
124GR	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	500	0.515	0.380	0.470	0.092	12.9
124NR	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	650	0.515	0.380	0.470	0.092	15.8
124R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	500	0.445	0.280	0.200	0.025	7.3
125R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	\	\	\	\	0.000	\
126R	Rear Reflector	后反光片	GB, JISO, CPSC, BS, VJQ	1000	0.365	0.275	0.245	0.025	\
3610-40	Accessory	灯架垫片	\	800	\	\	\	0.000	\
3610-60	Accessory	灯架垫片	\	800	\	\	\	0.000	\
701PA	Wheel Reflector	轮反光片	GB, JISO	1000	0.315	0.235	0.390	0.029	12.2
701PC	Wheel Reflector	轮反光片	GB, JISO, VJQ	1000	0.315	0.390	0.390	0.048	12.2
710PA	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	500	0.445	0.280	0.200	0.025	7.4
710PC	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	500	0.445	0.280	0.200	0.025	7.3
710PR	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	500	0.445	0.280	0.200	0.025	\
710PSA	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	400	0.405	0.287	0.278	0.032	11.1
710PSC	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	400	0.405	0.287	0.278	0.032	11.1
710SSA	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	360	0.405	0.287	0.278	0.032	6.3
710SSC	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	360	0.405	0.287	0.278	0.032	6.3
722A	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, TPL	500	0.405	0.287	0.278	0.032	9.1
722C	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, TPL	500	0.405	0.287	0.278	0.032	9.1
722R	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, TPL	500	0.405	0.287	0.278	0.032	9.6
722SA	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, TPL	400	0.405	0.287	0.278	0.032	9.9
722SC	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, TPL	400	0.405	0.287	0.278	0.032	9.9
722SA	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, TPL	160	0.405	0.287	0.278	0.032	6.3
722SC	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS, VJQ, ECE, TPL	160	0.405	0.287	0.278	0.032	6.3
723A	Wheel Reflector	轮反光片	JISO, D-JN	500	0.405	0.287	0.278	0.032	10.4
723SA	Wheel Reflector	轮反光片	JISO, D-JN	200	0.405	0.287	0.278	0.032	8.3
724C	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	500	0.405	0.287	0.278	0.032	10.91
725A	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	200	0.298	0.276	0.260	0.021	5.9
725C	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	200	0.298	0.276	0.260	0.021	5.9
726A	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	500	0.405	0.287	0.278	0.032	8.2
726C	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	500	0.405	0.287	0.278	0.032	8.2
727C	Wheel Reflector	轮反光片	GB, JISO, CPSC, BS, QS	160	0.345	0.280	0.200	0.019	5.8
80-0000-00	Bike Reflector kit	反光片套装	GB, JISO, CPSC, BS, QS	100	0.568	0.313	0.165	0.029	7.3
80-0346-06	Bike Reflector kit	反光片套装	GB, JISO, CPSC, BS, QS	250	0.550	0.370	0.280	0.057	\
80-0831-00	Bike Reflector kit	反光片套装	GB, JISO, CPSC, BS, QS	250	0.550	0.370	0.280	0.057	\
80-0844-02	Bike Reflector kit	反光片套装	GB, JISO, CPSC, BS, QS	500	0.550	0.300	0.270	0.045	12.0
B1112	Front/rear bracket	前/后叉灯架	GB, CPSC, BS	1400	0.550	0.370	0.280	0.057	23.5
HB222	Front bracket	前灯架	GB, CPSC, BS	1500	0.467	0.300	0.270	0.038	14.6
HB254	Front bracket	前灯架	GB, CPSC, BS	1000	0.405	0.287	0.278	0.032	10.7
HB317	Front bracket	前灯架	GB, CPSC, BS	1200	0.550	0.370	0.280	0.057	14.2
RR102	Cannier Reflector	货架反光片	\	250	0.467	0.300	0.370	0.052	11.1
SL1A	Pedal Reflector	脚踏反光片	GB, JISO, CPSC, BS, QS, VJQ, D-JN, TTP	6000	0.405	0.287	0.278	0.032	12.6
SL1PA	Pedal Reflector	脚踏反光片	GB, JISO, CPSC, BS, QS, VJQ, D-JN, TTP	9000	0.405	0.287	0.278	0.034	14.7
SL3A	Pedal Reflector	脚踏反光片	GB, JISO, CPSC, BS, QS, VJQ, D-JN, TTP, CH, B	3000	0.405	0.287	0.278	0.032	10.6
SP222	Rear bracket	后灯架	GB, CPSC, BS	2000	0.550	0.370	0.280	0.057	21.5
SP254	Rear bracket	后灯架	GB, CPSC, BS	1000	0.405	0.287	0.278	0.032	9.3
SP272	Rear bracket	后灯架	GB, CPSC, BS	1000	0.405	0.287	0.278	0.032	10.5
SP286	Rear bracket	后灯架	GB, CPSC, BS	1500	0.550	0.370	0.280	0.057	15.5
SP310	Rear bracket	后灯架	GB, CPSC, BS	1000	0.467	0.300	0.270	0.038	11.9
SR710Q	Wheel Reflector	轮反光片	GB, CPSC, BS	1000	0.405	0.287	0.278	0.032	13.3
ST211	Front/rear bracket	前灯架	GB, CPSC, BS	1500	0.550	0.300	0.270	0.045	16.0
SZ-14-1	Rear bracket	后主叉灯架	GB, VJQ	4560	0.550	0.300	0.270	0.045	10.6
SZ-14-2	Rear bracket	后主叉灯架	GB, VJQ	4560	0.550	0.300	0.270	0.045	10.3
SZ-16-1	Rear bracket	后主叉灯架	GB, VJQ	4560	0.550	0.300	0.270	0.045	10.3
SZ-16-2	Rear bracket	后主叉灯架	GB, VJQ	4560	0.550	0.300	0.270	0.045	10.3
SZ-14-1	Rear bracket	后主叉灯架	GB, VJQ	4560	0.550	0.300	0.270	0.045	10.3
SZ-14-2	Rear bracket	后主叉灯架	GB, VJQ	4560	0.550	0.300	0.270	0.045	10.3

Remark: Product date subject to change without notices

Index

Index